

Clinical Application of Functional MRI

Kyoung-Min Lee, M.D., Ph.D.

Department of Neurology, Program for Cognitive Science, Neuroscience Institute, Seoul National University

(functional magnetic resonance imaging, fMRI) 1992 Ogawa 가 .¹

(positron emission tomography, PET)

(intrinsic contrast agent)

가 MRI

MR (perfusion MRI)

(blood oxygenation level dependent, BOLD) MR 가

가 BOLD 가

²

Turbo ASL, FAIR arterial spin labeling fMRI

가 가 .^{3,4}

MRI

fMRI

BOLD 가

가 가 가

(oxyhemoglobin) 가 , 가 (deoxyhemoglobin)

1. fMRI
1)

fMRI

T2*

T2*

가

MR

BOLD fMRI

.⁵

BOLD

(

* Address for correspondence
Kyoung-Min Lee, M.D., Ph.D.
 Department of Neurology,
 Seoul National University Hospital,
 Yongon-dong 28, Chongno-gu, Seoul, 110-744, Korea
 Tel : +82-2-760-2985 Fax : +82-2-3672-7553
 E-mail : kminlee@snu.ac.kr

, volume element=voxel)
 (echoplanar imaging, EPI) spiral
 sequence imaging
 가 .^{6,7}
 가 . EPI fMRI ,
 가 2~5%
 ,
 3
 (repetition time)
 , fMRI
 BOLD T2*
 ,
 BOLD 가
 ,
 4~6 가,
 가 , 가 ,
 (undershooting) .⁸
 (hemodynamic
 response function, HRF) . BOLD
 HRF
 , fMRI
 HRF fMRI
 HRF
 BOLD 가
 fMRI 가 , 16 가 ,
 가 .⁹
 BOLD 가 가
 가
 design . blocked
 ,
 20~30
 ,
 5
 (cognitive
 subtraction) 가 , single
 event design blocked design
 .¹⁰
 BOLD
 MRI ,
 BOLD

가
 . Blocked design
 single trial design .¹¹ (efficiency)
 design single trial
 , blocked design 가
 가 .¹⁰
 2) fMRI fMRI 가
 가
 ,
 가
 ,
 가,
 가
 UCLA AIR package가 가
 ,¹²
 Talairach coordinate가 .¹³
 , fMRI 가
 , smoothing ,
 3
 ,
 가
 가
 가
 fMRI
 ,
 ,
 가
 fMRI 가
 1) MR (realignment),
 2) (spatial normalization),
 3) MR (statistical
 inference)
 , fMRI
 가 , 가

fMRI
 2~5% () mm 가 가
 가 BOLD
 가 가
 가 가
 가
 가
 Talairach Tournoux
 가
 fMRI MR 가
 MR 가
 (statistical parametric map)
 , t- 가
 fMRI
 Gaussian
 random field theory
 2. fMRI
 fMRI
 가
 가
 가
 가
 fMRI가
 가
 가
 , fixed effect
 , random effect가
 가
 가
 가
 MRI
 MRI

(premotor area) 가

(post-central gyrus) 가

가

가

가

가

fMRI

fMRI

Yetkin

가

28

fMRI

fMRI

fMRI

100%

fMRI

가

20 mm

, 87%

10 mm

²⁰

fMRI

가

fMRI

fMRI

fMRI

가 8~30%

²⁰⁻²²

fMRI

fMRI

25

가 1 cm

12

6

가 1~2 cm

6

2

²²

2

cm

7

²²

MRI

가

fMRI

가

가

가

3. fMRI

1)

fMRI가

, PET

2)

fMRI

fMRI

fMRI

가

가

fMRI

가

가

²²⁻²⁵

(localiza-

tion) (lateralization)
 가 . Wada
 가 , 가 , 가
 , fMRI 가
 . fMRI Wada 가
 Wada , 가
 fMRI .
 Thulborn 가
 가 .²⁶ Cao
 가 가 .²⁷
 가 fMRI 가 ,
 , ,
 가 , 가
 , 가
 , 가
 , 가
 , fMRI 가

REFERENCES

1. Ogawa S, Tank DW, Menon R, Ellermann JM, Kim SG, Merkle H, Ugurbil K. Intrinsic signal changes accompany-

ing sensory stimulation: functional brain mapping with magnetic resonance imaging. *Proc Natl Acad Sci USA* 1992;89:5951-5.
 2. Wong EC, Buxton RB, Frank LR. Quantitative perfusion imaging using arterial spin labeling. *Neuroimaging Clin N Am* 1999;9:333-42.
 3. Wong EC, Luh WM, Liu TT. Turbo ASL: arterial spin labeling with higher SNR and temporal resolution. *Magn Reson Med* 2000;44:511-5.
 4. Zaini MR, Strother SC, Anderson JR, Liow JS, Kjems U, Tegeler C, Kim SG. Comparison of matched BOLD and FAIR 4.0T-fMRI with [15O]water PET brain volumes. *Med Phys* 1999;26:1559-67.
 5. Zarahn E. Spatial localization and resolution of BOLD fMRI. *Curr Opin Neurobiol* 2001;11:209-12.
 6. Stehling MK, Turner R, Mansfield P. Echo-planar imaging: Magnetic resonance imaging in a fraction of a second. *Science* 1991;254:43-50.
 7. Glover GH. Simple analytic spiral K-space algorithm. *Magn Reson Med* 1999;42:412-5.
 8. Glover, G.H. Deconvolution of impulse response in event-related BOLD fMRI. *NeuroImage* 1999;9:416-429.
 9. Hathout GM, Gopi RK, Bandettini P, Gambhir SS. The lag of cerebral hemodynamics with rapidly alternating periodic stimulation: modeling for functional MRI. *Magn Reson Imaging* 1999;17:9-20.
 10. D'Esposito M, Zarahn E, Aguirre GK. Event-related functional MRI: implications for cognitive psychology. *Psychol Bull.* 1999;125:155-64.
 11. Liu TT, Frank LR, Wong EC, Buxton RB. Detection power, estimation efficiency, and predictability in event-related fMRI. *Neuroimage* 2001;13:759-73.
 12. Woods RP, Grafton ST, Holmes CJ, Cherry SR, Mazziotta JC. Automated image registration: I. General methods and intrasubject, intramodality validation. *J Comput Assist Tomogr* 1998;22:139-52.
 13. Talairach J, Tournoux P. *Co-planar stereotaxic atlas of the human brain*. Stuttgart, Germany: Thieme Verlag, 1988.
 14. Hajnal JV, Saeed N, Soar EJ, Oatridge A, Young IR, Bydder GM. A registration and interpolation procedure for subvoxel matching of serially acquired MR images. *J Comput Assist Tomogr* 1995;19:289-96.
 15. Poline JB, Holmes A, Worsley K, Friston KJ. Making statistical inferences. In: Frackowiak RSJ, Friston KJ, Frith CD, Dolan RJ, Mazziotta JC. *Human Brain Function*. New York: Academic Press. 1997.
 16. Worsley KJ. An overview and some new developments in the statistical analysis of PET and fMRI data. *Human Brain Mapping* 1997;5:254-258.
 17. Lee KM, Lee SH, Kim CY, Kim NY, Chang KH, Roh JK. Technical improvement of functional MRI for clinical application. *J Korean Neurol Assoc* 1999;17:222-227.
 18. Sunaert S, Van Hecke P, Marchal G, Orban GA. Attention

- to speed of motion, speed discrimination, and task difficulty: an fMRI study. *Neuroimage* 2000;11:612-23.
19. Friston KJ, Holmes AP, Worsley KJ. How many subjects constitute a study? *Neuroimage* 1999;10:1-5.
 20. Yetkin FZ, Mueller WM, Morris GL, McAuliffe TL, Ulmer JL, Cox RW, Daniels DL, Haughton VM. Functional MR activation correlated with intraoperative cortical mapping. *AJNR Am J Neuroradiol* 1997;18:1311-5.
 21. Atlas SW, Howard II, Robert S, Maldjian J, Alsop D, Detre JA, et al. Functional Magnetic Resonance Imaging of Regional Brain Activity in Patients with Intracerebral Gliomas: Findings and Implications for Clinical Management. *Neurosurgery* 1996;38:329.
 22. Haughton VM, Turski PA, Meyerand B, Wendt G, Moritz CH, Ulmer J. The clinical applications of functional MR imaging. *Neuroimaging Clin N Am* 1999;9:285-93.
 23. Yetkin FZ, Mueller WM, Morris GL, McAuliffe TL, Ulmer JL, Cox RW, et al. Functional MR activation correlated with intraoperative cortical mapping. *AJNR* 1997;18:1311-5.
 24. Desmond JE, Sum JM, Wagner AD, Demb JB, Shear PK, Glover GH, Gabrieli JD, Morrell MJ. Functional MRI measurement of language lateralization in Wada-tested patients. *Brain* 1995;118:1411-9.
 25. Binder JR, Swanson SJ, Hammeke TA, Morris GL, Mueller WM, Fischer M, et al. Determination of language dominance using functional MRI: a comparison with the Wada test. *Neurology* 1996;46:978-84.
 26. Thulborn KR, Carpenter PA, Just MA. Plasticity of language-related brain function during recovery from stroke. *Stroke* 1999;30:749-54.
 27. Cao Y, Vikingstad EM, George KP, Johnson AF, Welch KM. Cortical language activation in stroke patients recovering from aphasia with functional MRI. *Stroke*. 1999;30:2331-40.